

REFERENCES

- Backman, T. 1991. Genotypic and phenotypic variability of *Zostera marina* on the west coast of North America. *Can. J. Bot.* 69: 1361-1371.
- B.C. Ministry of Sustainable Resource Management. 2004. Base Maps Watershed Atlas Coverage. <http://www.bcfisheries.gov.bc.ca/fishinv/basemaps-maps.html>. Accessed May 2005.
- Bell, S. S., L. A. J. Clements, and J. Kurdziel. 1993. Production in natural and restored seagrasses: a case study of a macrobenthic polychaete. *Ecological Applications* 3: 610-621.
- Biebl, R., and C. P. McRoy. 1971. Plasmatic resistance and rate of respiration and photosynthesis of *Zostera marina* at different salinities and temperatures. *Marine Biology* 8: 48-56.
- Boicourt, W. C. 1993. Estuaries: Where the River Meets the Sea. *Oceanus*: 29-37.
- Boyle, J.F. 2001. Inorganic Geochemical Methods in Paleolimnology. Pages 83-141 in W.M., Last and J.P. Smol, eds. *Tracking Environmental Change Using Lake Sediments Volume 2*. Kluwer Academic, The Netherlands
- Brinkhuis, B. H., W. F. Penello, and A. C. Churchill. 1980. Cadmium and manganese flux in eelgrass *Zostera marina* II. metal uptake by leaf and root-rhizome tissues. *Marine Biology* 58: 187-196.
- British Columbia Ministry of Sustainable Resource Management. 2004. Base Maps Watershed Atlas Coverage. <http://www.bcfisheries.gov.bc.ca/fishinv/basemaps-maps.html>. Accessed May 2005.
- Cameron, W. M., and D. W. Pritchard. 1963. Estuaries. Pages 306-324 in M. N. Hill, ed. *The Sea*. Wiley, New York.
- Community Mapping Network. 2005. Community Mapping Network homepage. <http://www.shim.bc.ca/>. Accessed May 2005.
- Community Mapping Network, C. M. 2005. British Columbia Eelgrass Mapping database. <http://www.shim.bc.ca/eelgrass/main.htm>. Accessed May 2005.
- Conlon, K. E., and D. V. Ellis. 1979. Effects of wood waste on sand-bed benthos. *Marine Pollution Bulletin* 10: 262-267.

- Costanza, R., R. d'Arge, R. De Groot, S. Fraber, M. Grasso, B. Hannon, K. Limburg, S. Naeem, R. V. O'Neill, J. Paruelo, R. G. Raskin, P. Sutton, and M. Van den Belt. 1997. The value of the world's ecosystem services and natural capital. *Nature* 387: 253-260.
- Cottingham, K. L., J. T. Lennon, and B. B. Bryan. 2005. Knowing when to draw the line: designing more informative ecological experiments. *Frontiers in Ecology and the Environment* 3: 145-152.
- de Jonge, V. N., and D. J. de Jong. 2000. Policy plans and management measures to restore eelgrass (*Zostera marina* L.) in the Dutch Wadden Sea. *Helgol. Mar. Res.* 54: 151-158.
- Dennison, W. C. 1990. Leaf production. Pages 83-85 in R. C. Phillips and P. C. McRoy, eds. *Seagrass Research Methods*. UNESCO, Paris.
- . 1987. Effects of light on seagrass photosynthesis, growth and depth distribution. *Aquatic Botany* 27: 15-26.
- Dennison, W. C., and R. S. Alberte. 1986. Photoadaptation and growth of *Zostera Marina* L. (eelgrass) transplants along a depth gradient. *Journal of Experimental Marine Biology and Ecology* 98: 265-282.
- . 1985. Role of daily light period in the depth distribution of *Zostera marina* (eelgrass). *Marine Ecology Progress Series* 25: 51-61.
- Dennison, W. C., R. J. Orth, K. A. Moore, J. C. Stevenson, V. Carter, S. Kollar, P. W. Bergstrom, and R. A. Batiuk. 1993. Assessing water quality with submersed aquatic vegetation. *BioScience* 43: 86-94.
- Department of Fisheries and Oceans. 1986. Policy of the Management of Fish Habitat. Report No. Fs23-23-98/1986E. 28 pp. Department of Fisheries and Oceans, Ottawa.
- Duarte, C. M. 1991. Seagrass depth limits. *Aquatic Botany*: 363-377.
- Duarte, C. M., and J. Cebrian. 1996. The fate of marine autotrophic production. *Limnology and Oceanography* 41: 1758-1766.
- Durance, C. 2004. *Next Steps in Mapping and Monitoring Eelgrass Habitat in British Columbia*. Pages 1-16. Ministry of Water, Land and Air Protection, Vancouver, B.C.
- . Durance, C. 2002. *Methods for Mapping and Monitoring Eelgrass Habitat in British Columbia*. Pages 1-38. Environment Canada, Vancouver, B.C.

- Emmett, R., R. Llanso, J. Newton, R. M. Thom, M. Hornberger, C. Morgan, C. Levings, A. Copping, and P. Fishman. 2000. Geographic signatures of North American west coast estuaries. *Estuaries* 23: 765-792.
- Environment Canada, Weather Office. 2005. Canadian Climate Date. Environment Canada. <http://www.climate.weatheroffice.ec.gc.ca>. Accessed May 2005
- Fonseca, M. 1989. Regional analysis of the creation and restoration of seagrass systems. Pages 175-198 in J. A. Kusler and M. E. Kentula, eds. *Wetland Creation and Restoration: The Status of the Science. Vol. 1. Regional Reviews*. EPA Environmental Laboratory, Corvallis, Oregon.
- Fonseca, M., and S. S. Bell. 1998. Influence of physical setting on seagrass landscapes near Beaufort, North Carolina, USA. *Marine Ecology Progress Series* 171.
- Fonseca, M., J. S. Fisher, J. C. Zieman, and G. W. Thayer. 1982. Influence of the seagrass, *Zostera marina* L. on current flow. *Estuarine, Coastal and Shelf Science* 15: 351-364.
- Fonseca, M., W. J. Kenworthy, and G. W. Thayer. 1998. Guidelines for the conservation and restoration of seagrasses in the United States and adjacent waters. *NOAA's Coastal Ocean Program, Decision Analysis No. 12*. NOAA Coastal Ocean Office, Silver Spring, MD, Silver Spring, MD.
- Fox, I. K., and J. P. Nowlan. 1978. The Mangement of Estuarine Resources in Canada. Report no. 6. Pages 1-44. Canadian Environmental Advisory Council, Ottawa.
- Harrison, P. G. 1982. Comparative growth conditions of *Zostera japonica* Achers. & Graebn. and *Z. marina* L. under simulated intertidal and subtidal conditions. *Aquatic Botany* 14: 373-379.
- . 1984. The biology of seagrasses in the intercauseway area of Roberts Bank, B.C. Pages 1-4. Report no. IS-84-132. University of B.C., Vanocouver.
- . 1990a. Population Dynamics. Pages 210 in R. C. Phillips and P. C. McRoy, eds. *Seagrass Research Methods*. UNESCO, Paris.
- . 1990b. Variations in success of eelgrass transplants over a five-years' period. *Enviromental Conservation* 17: 157-162.
- Harrison, P. G., and R. E. Bigley. 1982. The recent introduction of the seagrass *Zostera japonica* Aschers, and Graebn. to the Pacific coast of North America. *Canadian Journal of Fisheries and Aquatic Sciences* 39: 1642-1648.

- Hauxwell, J., J. Cebrian, C. Furlong, and I. Valiela. 2001. Macroalgal canopies contribute to eelgrass (*Zostera marina*) decline in temperate estuarine ecosystems. *Ecology* 82: 1007-1022.
- Hauxwell, J., J. Cebrian, and I. Valiela. 2003. Eelgrass *Zostera marina* loss in temperate estuaries: relationship to land-derived nitrogen loads and effect of light limitation imposed by algae. *Marine Ecology Progress Series* 247: 59-73.
- Healey, M. C. 1982. Juvenile pacific salmon in estuaries: the life support system. Pages 215-341 in V.S. Kennedy, ed. *Estuarine Comparisons*. Academic Press, New York.
- Heck, K. L. J., G. Hays, and R. J. Orth. 2003. Critical evaluation of the nursery role hypothesis for seagrass meadows. *Marine Ecology Progress Series* 253: 123-136.
- Hemminga. 1998. The root/rhizome system of seagrasses: an asset and a burden. *Journal of Sea Research* 39:193-196
- Hemminga, M.A., and C.M. Duarte. 2000. *Seagrass Ecology*. Cambridge University Press, U.K.
- Homziak, J., M.S.Fonseca, and W.J. Kenworthy. 1982. Macrobenthic community structure in transplanted eelgrass (*Zostera marina*) meadows. *Marine Ecology Progress Series* 9:211-221.
- Hoos, L.M., and C.L. Vold. 1975. *The Squamish River Estuary Status of Environmental Knowledge to 1974*. Special Estuary Series No. 2. Fisheries and Marine Service, Pacific Environmental Institute, West Vancouver.
- Hume, M. 1992. Battle lines drawn in tug of war over Squamish; B.C. Rail seeks deep-sea port in bird habitat. Page B4, October 7. *The Vancouver Sun*, Vancouver.
- Kemp, M., L. Murray, and C.P. McRoy. 1990. Primary productivity. Pages 153-159 in R.C. Phillips and P.C. McRoy, eds. *Seagrass research methods*. UNESCO, Paris.
- Kenworthy and M. Fonseca. 1992. The use of fertilizer to enhance growth of transplanted seagrasses *Zostera marina* L. and *Halodule wrightii* Ashers. *Journal of Experimental Marine Biology and Ecology* 163: 141-161
- Kenworthy, W.J., M.J. Durako, S.M.R., Fatemy, H, Valavi and G.W. Thayer. 1993. Ecology of seagrasses in northeastern Saudi Arabia one year after the Gulf war oil spill. *Marine Pollution Bulletin* 27: 213-222.
- Kikuchi, T. 1980. Faunal relationships in temperate seagrass beds. Pages 153-172 in R.C. Phillips and C.P. McRoy, eds. *Handbook of Seagrass Biology: An Ecosystem Perspective*. Garland Publishing Inc., New York.

- Kistritz, R.U., and Gollner. 1995. Review and assessment of eelgrass (*Zostera marina*) transplanting projects in coastal British Columbia. Pages 1-26. Department of Fisheries and Oceans, Pacific Region, Vancouver.
- Levings, C. 1973. Intertidal benthos of the Squamish Estuary. Pages 1-58. Fisheries Research Board of Canada Manuscript Report Series No. 1218. Pacific Environment Institute, West Vancouver, B.C.
- . 1976. River diversion and intertidal benthos of the Squamish River Delta, British Columbia. Pages 193-202 in S. Skreslet, R. Leinebo, J. B. L. Matthews, and E. Sakshaug, eds. *Fresh Water on the Sea; Influence of fresh-water outflow on biological processes in fjords and coastal waters 1974*. The Association of Norwegian Oceanographers, Geilo, Norway.
- . 1980. The biology and energetics of *Eogammarus confervicolus* (Stimpson) (Amphipoda Anisogammaridae) at the Squamish River Estuary, B.C. *Canadian Journal of Zoology* 58: 1652-1663.
- Levings, C., and R. Thom. 1994. Habitat changes in Georgia Basin: Implications of resource management and restoration in R. C. H. Wilson, R. J. Beamish, F. Aitkens, and J. Bell, eds. *Review of the Marine Environment and Biota of the Strait of Georgia, Puget Sound, and Juan de Fuca Strait, Proceedings of the British Columbia/Washington Symposium on the Marine Environment*. Canadian Technical Report of Fisheries and Aquatic Sciences No. 1948. Victoria, B.C.
- Levings, C. D., W. M. Pomeroy, R. K. Prange, N. G. McDaniel, and H. G. Christie. 1976. Data record of the physical-chemical measurements at the Squamish River Estuary - Temperature, Salinity, Dissolved Oxygen Data 1974-1975. Fisheries Research Board of Canada Manuscript Report, Series No. 1407. Pacific Environment Institute, West Vancouver, B.C.
- Levy, D. A., and C. Levings. 1978. A description of the fish community of the Squamish River Estuary, British Columbia: relative abundance, seasonal changes and feeding habits of salmonids. Pages 1-63. Fisheries and Marine Service, Manuscript Report No. 1475. Department of Fisheries and the Environment, Fisheries and Marine Service, Pacific Biological Station, Nanaimo.
- Lim, P. G., and C. Levings. 1973. Distribution and biomass of intertidal vascular plants on the Squamish Delta. Pages 1-26. Fisheries Research Board of Canada Manuscript Report Series No. 1219. Pacific Environment Institute, West Vancouver, B.C.
- Marsh, J. A., W. C. Dennison, and R. S. Alberte. 1986. Effects of temperature on photosynthesis and respiration in eelgrass (*Zostera marina* L.). *Journal of Experimental Marine Biology and Ecology* 101: 257-267.

- Maser, C., and J. R. Sedell. 1994. The Estuary. Pages 57-85 in C. Maser and J. R. Sedell, eds. *From the Forest to the Sea: The Ecology of Wood in the Streams, Rivers, Estuaries and Oceans*. St. Lucie Press, Delray Beach, Florida.
- McKnight, T. L., and D. Hess. 2002. *Physical Geography; A Landscape Perspective*. Prentice Hall, Inc., Upper Saddle River, New Jersey.
- McRoy, C. P., and C. Helfferich. 1980. Applied Aspects of Seagrasses in R. C. Phillips and C. P. McRoy, eds. *Handbook of Seagrass Biology: An Ecosystem Perspective*. Garland Publishing, Inc., New York.
- Mills, K. E., and M. Fonseca. 2003. Mortality and productivity of eelgrass *Zostera marina* under conditions of experimental burial with two sediment types. *Marine Ecology Progress Series* 255: 127-134.
- Norris, J., S. Wyllie-Echeverria, T. Mumford, A. Bailey, and T. Turner. 1997. Estimating basal area coverage of subtidal seagrass beds using underwater videography. *Aquatic Botany* 58.
- Norris, J. G., and T. H. Hutley. 1998. Monitoring basal area coverage of eelgrass in Port Townsend Bay. *Puget Sound Research*: 371-381.
- Ogden, J. C. 1990. Community structure and function: the influence of grazing. Pages 177-182 in R. C. Phillips and P. C. McRoy, eds. *Seagrass Research Methods*. UNESCO, Paris.
- Ohrel, R. L., and K. M. Register. 1995. Volunteer Estuary Monitoring; A Methods Manual. Pages 1-396. EPA, Office of Wetlands, Oceans and Watersheds & The Ocean Conservancy.
- Olesen, B., and K. Sand-Jensen. 1993. Seasonal acclimatization of eelgrass *Zostera marina* growth to light. *Marine Ecology Progress Series* 94: 91-99.
- . 1994a. Demography of shallow eelgrass (*Zostera marina*) populations -- shoot dynamics and biomass development. *The Journal of Ecology* 82: 379-390.
- Orth, R. J., M. C. Harwell, and J. R. Fishman. 1999. A rapid and simple method for transplanting eelgrass using single, unanchored shoots. *Aquatic Botany* 64: 77-85.
- Phillips, R. C. 1984. The ecology of eelgrass meadows in the Pacific Northwest: a community profile. Pages 1-85. Report No. FWS/OBS-84/24. U.S. Fish and Wildlife Service, Seattle.

- Phillips, R. C., and C. P. McRoy. 1980. *Handbook of Seagrass Biology: An Ecosystem Perspective*. Garland Publishing, Inc., New York.
- . 1990. *Seagrass Research Methods*. UNESCO, Paris.
- Pojar, J., and A. MacKinnon. 1994. *Plants of Coastal British Columbia*. Lone Pine Publishing, Vancouver, B.C.
- Statistics and Service B.C., Population Section. 2004. B.C. Regional District and Municipal Population Estimates, 1996-2004. Ministry of Management Services, Government of British Columbia. <http://www.bcstats.gov.bc.ca/data/pop/pop/mun/Mun9604e.htm> Accessed May 2005
- Ryall, R., and C. Levings. 1987. Juvenile salmon utilization of rejuvenated tidal channels in the Squamish Estuary, British Columbia. Pages 1-15. Canadian Manuscript Report of Fisheries and Aquatic Sciences No. 1904. Department of Fisheries and Oceans, Fisheries Research Branch, West Vancouver.
- Short, C. A., R. G. Coles, and C. Pergent-Martini. 2001. Global seagrass distribution. Pages 5-30 in C. A. Short and R. G. Coles, eds. *Global Seagrass Research Methods*. Elsevier Science, Amsterdam.
- Short, F. T., R. C. Davis, B. S. Kopp, C. A. Short, and D. M. Burdick. 2002. Site-selection model for optimal transplantation of eelgrass *Zostera marina* in the northeastern US. *Marine Ecology Progress Series* 227: 253-267.
- Short, F. T., and H. A. Neckles. 1999. The effects of global climate change on seagrasses. *Aquatic Botany* 63: 169-196.
- Short, F. T., and S. Wyllie-Echeverria. 1996. Natural and human-induced disturbance of seagrasses. *Environmental Conservation* 23: 17-27.
- Simenstad, C. A., A. M. Olson, and R. M. Thom. 1998. *Mitigating Potential Impacts of Ferry Terminal Siting and Design on Eelgrass Habitat*. Pages 2-88. Washington Sea Grant Program, Seattle, Washington.
- Society for Ecological Restoration, International Science & Policy Working Group. 2004. *The SER International Primer on Ecological Restoration*. SER International, Tucson.
- Squamish Estuary Coordinating Committee. 1992. *In Transition; The Squamish Estuary Management Plan 1982-1992*, Squamish B.C.
- Squamish Estuary Management Plan. 1981. *Squamish Estuary Management Study (Canada): Air and Water Quality Work Group Final Report*. Pages 1-67. Department of Fisheries and Oceans and Ministry of the Environment, Squamish.

- . 1982a. Report of the Planning Committee on a proposed Squamish Estuary management plan. Volume Two Appendices. Pages i-233. Department of Fisheries and Oceans Ministry of the Environment, Squamish.
- . 1982b. Squamish Estuary Management Study (Canada): Recreation Work Group Final Report. Pages 1-64. Department of Fisheries and Oceans and Ministry of the Environment, Squamish.
- Squamish River Watershed Society. 2005. Squamish Streams homepage. <http://www.squamishstreams.com/about.htm>. Accessed May 2005.
- Stanhope, M. J., and C. Levings. 1985. Growth and production of *Eogammarus confervicolus* (Amphipoda:Anisogammaridae) at a log storgae site and in areas of undisturbed habitat within the Squamish Estuary, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* 42: 1733-1740.
- Strittholt, J. R., and P. A. Frost. 1996. Determining abundance and distribution of eelgrass (*Zostera* spp.) in Tillamook Bay Estuary, Oregon using multispectral airborne imagery. Pages i-17. Earth Design Consultants, Inc., Garibaldi, Oregon.
- Terrados, J., C. M. Duarte, L. Kamp-Nielsen, N. S. R. Agawin, E. Gacia, D. Lacap, M. D. Fortes, J. Borum, M. Lubanski, and T. Greve. 1999. Are seagrass growth and survival constrained by the reducing conditions of the sediment? *Aquatic Botany* 65: 175-198.
- Thayer, G. W., W. J. Kenworthy, and M. Fonseca. 1984. The ecology of eelgrass meadows of the Atlantic Coast: a community profile. Pages 1-88. U.S. Fish and Wildlife Service, Washington, D.C.
- Thom, R. 1990. A review of eelgrass (*Zostera Marina* L.) transplanting projects in the Pacific Northwest. *The Northwest Environmental Journal* 6: 121-137.
- Williams, S. L. 2001. Reduced genetic diversity in eelgrass transplantations affects both population growth and individual fitness. *Ecological Applications* 11: 1472-1488.
- Williams, S. L., and K. L. J. Heck. 2001. Seagrass Community Ecology. Pages 317-337 in M. D. Bertness, S. D. Gaines, and M. E. Hay, eds. *Marine Community Ecology*. Sinauer Associates, Inc., Sunderland, Massachusetts.
- Williams, S. L., and C. P. McRoy. 1982. Seagrass productivity: the effect of light on carbon uptake. *Aquatic Botany* 12: 321-344.

Wolfe, D. A., G. W. Thayer, and S. M. Adams. 1976. Manganese, iron, copper, and zinc in an eelgrass (*Zostera marina*) community in C. E. Cushing, ed. *Radioecology and energy resources. Proceedings for the 4th National Symposium on Radioecology*. Dowden, Hutchinson and Ross, Stroudsburg, PA.

Zar, J.H. 1999. *Biostatistical Analysis*. Prentice Hall, New Jersey

Zimmerman, R. C., D. G. Kohrs, and R. S. Alberte. 1996. Top-down impact through a bottom-up mechanism: the effect of limpet grazing on growth, productivity and carbon allocation of *Zostera marina* L. (eelgrass). *Oecologia* 107: 560-567.

Zimmerman, R. C., J. L. Reguzzoni, and R. S. Alberte. 1995. Eelgrass (*Zostera marina* L.) transplants in San Francisco Bay: role of light availability on metabolism, growth and survival. *Aquatic Botany* 51: 67-86.